



SAFETY DATA SHEET

in accordance with REACH (1907/2006/EC, as amended by 453/2010/EC)

Revision date: 19 November 2013

Initial date of issue: 4 June 2007

SDS No. 1083-6

SECTION 1: IDENTIFICATION OF THE SUBSTANCE/MIXTURE AND OF THE COMPANY/UNDERTAKING

1.1. Product identifier

Steel Trap™

1.2. Relevant identified uses of the substance or mixture and uses advised against

Gasket composed of a seal material bonded to a metallic core for use at wide temperature and pressure ranges.

1.3. Details of the supplier of the safety data sheet

Company:

A.W. CHESTERTON COMPANY
860 Salem Street
Groveland, MA 01834-1507, USA
Tel.: +1 978-469-6446 Fax: +1 978-469-6785
(Mon. - Fri. 8:30 - 5:00 PM EST)
E-mail (SDS questions): ProductMSDSs@chesterton.com
E-mail: customer.service@chesterton.com
SDS requests: www.chesterton.com

Supplier:

1.4. Emergency telephone number

24 hours per day, 7 days per week
Call Infotrac: 1-800-535-5053
Outside N. America: +1 352-323-3500 (collect)

SECTION 2: HAZARDS IDENTIFICATION

2.1. Classification of the substance or mixture

2.1.1. Classification according to Regulation (EC) No 1272/2008 [CLP] / GHS

This product does not meet the criteria for classification in any hazard class according to Regulation (EC) No 1272/2008 on classification, labelling and packaging of substances and mixtures.

2.1.2. Classification according to Directive 1999/45/EC

This product does not meet the criteria for classification in any danger category according to Directive 1999/45/EC on classification, packaging and labelling of dangerous preparations.

2.1.3. Canadian WHMIS classification

D2B: Toxic materials causing other effects

2.1.4. Australian classification

Not classified as hazardous according to criteria of Safe Work Australia.

2.1.5. Additional information

None

2.2. Label elements

Labelling according to Regulation (EC) No 1272/2008 [CLP] / GHS

Hazard pictograms: N/A

Signal word: None

Hazard statements: None

Precautionary statements: None

Supplemental information: None

2.3. Other hazards

None expected in industrial use. For Polytetrafluoroethylene (PTFE) products: PTFE is nonhazardous at ambient temperatures. At temperatures above 500°F (260°C), toxic decomposition products may be emitted. Due to toxic decomposition, avoid smoking (wash hands to avoid transfer to tobacco products) when handling PTFE products.

SECTION 3: COMPOSITION/INFORMATION ON INGREDIENTS**3.2. Mixtures**

Hazardous Ingredients ¹	% Wt.	CAS No./ EC No.	REACH Reg. No.	Classification (acc. to 1272/2008/EC)	Classification (67/548/EEC)
Graphite	0-5	7782-42-5 231-955-3	NA	Not classified*	Not classified

Indications of danger acc. to 67/548/EEC: Not applicable

*Substance with a workplace exposure limit.

¹Classified according to: * 29 CFR 1910.1200, 1915, 1916, 1917, Mass. Right-to-Know Law (ch. 40, M.G.L.O. 111F), California Proposition 65
* 1272/2008/EC, 67/548/EEC, 99/45/EC, REACH
* Controlled Products Regulations
* Safe Work Australia [NOHSC: 1008 (2004)]

SECTION 4: FIRST AID MEASURES**4.1. Description of first aid measures**

Inhalation: If overcome by decomposition fumes, remove to fresh air. If not breathing, administer artificial respiration. Contact physician.

Skin contact: Wash skin with soap and water. Contact physician if irritation persists.

Eye contact: Flush eyes for at least 15 minutes with large amounts of water. Contact physician if irritation persists.

Ingestion: not applicable

4.2. Most important symptoms and effects, both acute and delayed

Graphite dust may cause mechanical irritation to the skin, eyes and nasal passages. Repeated inhalation of nuisance dust in excess of exposure limits over an extended period of time may result in injury to the lungs. Symptoms can include cough, shortness of breath and decrease in pulmonary function.

4.3. Indication of any immediate medical attention and special treatment needed

Treat symptoms.

SECTION 5: FIRE-FIGHTING MEASURES**5.1. Extinguishing media**

Carbon Dioxide, dry chemical, foam or water spray

5.2. Special hazards arising from the substance or mixture

Toxic fumes may be emitted at temperatures above 260°C (500°F).

5.3. Advice for firefighters

Recommend Firefighters wear self-contained breathing apparatus.

Flammability Classification: –

HAZCHEM Emergency Action Code: 1 **Z**

SECTION 6: ACCIDENTAL RELEASE MEASURES**6.1. Personal precautions, protective equipment and emergency procedures**

Utilize exposure controls and personal protection as specified in Section 8.

6.2. Environmental Precautions

No special requirements.

6.3. Methods and material for containment and cleaning up

No special steps required. Nontoxic.

6.4. Reference to other sections

Refer to section 13 for disposal advice.

SECTION 7: HANDLING AND STORAGE**7.1. Precautions for safe handling**

Accumulations of graphite may cause shorting of electrical circuits. Do not smoke when handling PTFE products; wash hands after handling to avoid transfer to tobacco products.

7.2. Conditions for safe storage, including any incompatibilities

Store in cool, dry area. Exposure to heat, humidity, ozone or light may shorten its unlimited shelf life.

7.3. Specific end use(s)

No special precautions.

SECTION 8: EXPOSURE CONTROLS/PERSONAL PROTECTION**8.1. Control parameters****Occupational exposure limit values**

Ingredients	OSHA PEL		ACGIH TLV		UK WEL ²		AUSTRALIA ES ³	
	ppm	mg/m ³	ppm	mg/m ³	ppm	mg/m ³	ppm	mg/m ³
Graphite	15 mppcf	–	(resp)	2	(total) (resp)	10 4	(resp)	3

² EH40 Workplace exposure limits, as amended.

³ Adopted National Exposure Standards for Atmospheric Contaminants in the Occupational Environment [NOHSC:1003].

8.2. Exposure controls**8.2.1. Engineering measures**

If using under extreme heat, use local exhaust.

8.2.2. Individual protection measures

Respiratory protection: Not normally needed. If exposure limit is exceeded, use approved dust respirator (e.g., EN filter type P2).

Protective gloves: Not normally needed.

Eye and face protection: Recommend safety glasses.

Other: None

8.2.3. Environmental exposure controls

No special requirements.

SECTION 9: PHYSICAL AND CHEMICAL PROPERTIES**9.1. Information on basic physical and chemical properties**

Physical state	solid	Odour	odorless
Colour	silver	Odour threshold	
Initial boiling point	not applicable	Vapour pressure @ 20°C	not applicable
Melting point	not determined	% Aromatics by weight	not applicable
% Volatile (by volume)	not applicable	pH	not applicable
Flash point	not applicable	Relative density	not applicable
Method	not applicable	Weight per volume	not applicable
Viscosity	not applicable	Coefficient (water/oil)	not applicable
Autoignition temperature	not determined	Vapour density (air=1)	not applicable
Decomposition temperature	not determined	Rate of evaporation (ether=1)	not applicable
Upper/lower flammability or explosive limits	not applicable	Solubility in water	Insoluble
Flammability (solid, gas)	not determined	Oxidising properties	not determined
Explosive properties	not determined		

9.2. Other information

None

SECTION 10: STABILITY AND REACTIVITY**10.1. Reactivity**

Refer to sections 10.3 and 10.5.

10.2. Chemical stability

Stable

10.3. Possibility of hazardous reactions

No dangerous reactions known under conditions of normal use.

10.4. Conditions to avoid

For Polytetrafluoroethylene (PTFE) products: Extreme heat above 260°C (500°F).

10.5. Incompatible materials

Strong oxidizers like liquid Chlorine and concentrated Oxygen.

For Polytetrafluoroethylene (PTFE) products: Fluorine, Chlorine Trifluoride and related compounds and molten alkali metals.

10.6. Hazardous decomposition products

Carbon Monoxide, Carbon Dioxide and other toxic fumes.

For Polytetrafluoroethylene (PTFE) products: Perfluorocarbon Olefins and other toxic fumes may be evolved above 260°C (500°F).

SECTION 11: TOXICOLOGICAL INFORMATION**11.1. Information on toxicological effects****Primary route of exposure under normal use:** Inhalation, skin and eye contact. Personnel with pre-existing chronic respiratory impairments are generally aggravated by exposure.**Acute effects:** Graphite dust may cause mechanical irritation to the skin, eyes and nasal passages. For Polytetrafluoroethylene (PTFE) products: PTFE is nontoxic at ambient temperatures. However, small quantities of toxic gases may be produced at temperatures above 260°C (500°F), due to PTFE decomposition. Inhalation of these decomposition products may cause temporary flu-like symptoms.**Chronic effects:** Repeated inhalation of nuisance dust in excess of exposure limits over an extended period of time may result in injury to the lungs. Symptoms can include cough, shortness of breath and decrease in pulmonary function. Prolonged, excessive inhalation of Graphite dust has caused emphysema and pneumoconiosis.**Carcinogenicity:** As per 29 CFR 1910.1200 (Hazard Communication), this product contains no carcinogens as listed by the National Toxicology Program (NTP), the International Agency for Research on Cancer (IARC), the Occupational Safety and Health Administration (OSHA) or Regulation (EC) No 1272/2008.**Aspiration hazard:** Not applicable**Other information:** None known**SECTION 12: ECOLOGICAL INFORMATION**

Ecotoxicological data have not been determined specifically for this product. The information given below is based on a knowledge of the components and the ecotoxicology of similar substances.

12.1. Toxicity

Not determined

12.2. Persistence and degradability

PTFE: Material is chemically unreactive and nonbiodegradable. Graphite: inorganic substance.

12.3. Bioaccumulative potential

Not determined

12.4. Mobility in soil

Solid. Insoluble in water. In determining environmental mobility, consider the product's physical and chemical properties (see Section 9).

12.5. Results of PBT and vPvB assessment

Not available

12.6. Other adverse effects

None known

SECTION 13: DISPOSAL CONSIDERATIONS

13.1. Waste treatment methods
 Unused product is not a regulated waste. Check local, state and national/federal regulations and comply with the most stringent requirement. This product is not classified as a hazardous waste according to 2008/98/EC.
European List of Wastes code: 20 01 40

SECTION 14: TRANSPORT INFORMATION

14.1. UN number
ADR/RID/ADN/IMDG/ICAO: NOT APPLICABLE
TDG: NOT APPLICABLE
US DOT: NOT APPLICABLE

14.2. UN proper shipping name
ADR/RID/ADN/IMDG/ICAO: NON-HAZARDOUS, NON REGULATED
TDG: NON-HAZARDOUS, NON REGULATED
US DOT: NON-HAZARDOUS, NON REGULATED

14.3. Transport hazard class(es)
ADR/RID/ADN/IMDG/ICAO: NOT APPLICABLE
TDG: NOT APPLICABLE
US DOT: NOT APPLICABLE

14.4. Packing group
ADR/RID/ADN/IMDG/ICAO: NOT APPLICABLE
TDG: NOT APPLICABLE
US DOT: NOT APPLICABLE

14.5. Environmental hazards
 NOT APPLICABLE

14.6. Special precautions for user
 NOT APPLICABLE

14.7. Transport in bulk according to Annex II of MARPOL73/78 and the IBC Code
 NOT APPLICABLE

14.8. Other information
 NOT APPLICABLE

SECTION 15: REGULATORY INFORMATION

15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

15.1.1. EU regulations
Authorisations under Title VII: Not applicable
Restrictions under Title VIII: None
Other EU regulations: None

15.1.2. National regulations

US EPA SARA TITLE III	Hazardous Materials Identification System (HMIS)									
312 Hazards: Immediate 313 Chemicals: None	4 = Severe Hazard 3 = Serious Hazard 2 = Moderate Hazard 1 = Slight Hazard 0 = Minimal Hazard * = See Section 8	<table border="1"> <tr> <td>HEALTH</td> <td>0</td> </tr> <tr> <td>FLAMMABILITY</td> <td>0</td> </tr> <tr> <td>REACTIVITY</td> <td>0</td> </tr> <tr> <td>Personal Protection</td> <td>*</td> </tr> </table>	HEALTH	0	FLAMMABILITY	0	REACTIVITY	0	Personal Protection	*
HEALTH	0									
FLAMMABILITY	0									
REACTIVITY	0									
Personal Protection	*									

Other national regulations: None

15.2. Chemical safety assessment
 No Chemical Safety Assessment has been carried out for this substance/mixture by the supplier.

SECTION 16: OTHER INFORMATION

Abbreviations and acronyms: ACGIH: American Conference of Governmental Industrial Hygienists
 ADN: European Agreement concerning the International Carriage of Dangerous Goods by Inland Waterways
 ADR: European Agreement concerning the International Carriage of Dangerous Goods by Road
 ATE: Acute Toxicity Estimate
 BCF: Bioconcentration Factor
 CLP: Classification Labelling Packaging Regulation (1272/2008/EC)
 ES: Exposure Standard
 GHS: Globally Harmonized System
 ICAO: International Civil Aviation Organization
 IMDG: International Maritime Dangerous Goods
 LC50: Lethal Concentration to 50 % of a test population
 LD50: Lethal Dose to 50% of a test population
 LOEL: Lowest Observed Effect Level
 N/A: Not Applicable
 NA: Not Available
 NOAEL: No Observed Adverse Effect Level
 NOEL: No Observed Effect Level
 OSHA: Occupational Health & Safety Administration
 PBT: Persistent, Bioaccumulative and Toxic substance
 PEL: Permissible Exposure Limit
 (Q)SAR: Quantitative Structure-Activity Relationship
 REACH: Registration, Evaluation, Authorisation and Restriction of Chemicals Regulation (1907/2006/EC)
 RID: Regulations concerning the International Carriage of Dangerous Goods by Rail
 SDS: Safety Data Sheet
 STEL: Short Term Exposure Limit
 STOT: Specific Target Organ Toxicity
 TDG: Transportation of Dangerous Goods (Canada)
 TLV: Threshold Limit Value
 US DOT: United States Department of Transportation
 vPvB: very Persistent and very Bioaccumulative substance
 WEL: Workplace Exposure Limit
 WHMIS: Workplace Hazardous Materials Information System
 Other abbreviations and acronyms can be looked up at www.wikipedia.org.

Key literature references and sources for data: Commission de la santé et de la sécurité du travail (CSST)
 European chemical Substances Information System (ESIS)
 European Chemicals Agency (ECHA) - Information on Chemicals
 Hazardous Substances Data Bank (HSDB)
 Hazardous Substances Information System (HSIS)
 Swedish Chemicals Agency (KEMI)

Procedure used to derive the classification for mixtures according to Regulation (EC) No 1272/2008:

Classification	Classification procedure
Not applicable	Not applicable

Relevant H-statements: None

Relevant R-phrases: None

Hazard pictogram names: Not applicable

Changes to the SDS in this revision: Sections 1-16, updated to new format.

Further information: None

This information is based solely on data provided by suppliers of the materials used, not on the mixture itself. No warranty is expressed or implied regarding the suitability of the product for the user's particular purpose. The user must make their own determination as to suitability.